Virginia Asthma Action Plan

| Name | | | Date of Birth | | | | |
|---|--|--|--|--|--|--|--|
| Health Care Provider | Emergency Contact | Emergency Contact | | | | | |
| Health Care Provider | Emergency contact | | Emergency Contact | Emergency Contact | | | |
| Provider Phone # | Phone: area code + nu | Phone: area code + number | | Phone: area code + number | | | |
| Fax # | Contact by text? | | Contact by text? | | | | |
| | Medical provider comple | ete from here d | lown | | | | |
| Asthma Triggers (Things that ma | ke your asthma | | | | | | |
| | Dust □ Animals: | cockroaches) | Strong odors Mold/moisture Stress/Emotions | Season | | | |
| Asthma Severity: D Intermitt | tent or 🗆 Persistent: 🗆 Mild | l □ Moderate | e 🗆 Severe | | | | |
| Green Zone: Go! | Take these CONTR | ROL Medicines | s every day <u>at l</u> | nome | | | |
| You have ALL of these: • Breathing is easy | Always rinse your mouth after using your inhaler. Remember to use a spacer with your MDI when possible. No control medicines | | | | | | |
| No cough or wheeze | □ Advair, □ Alvesco_ | | | | | | |
| Can work and playCan sleep all night | 🗆 Breo, 🗆 Budesonid | e, 🛛 Dulera _ | , | , | | | |
| Peak flow: to | □ QVAR Redihaler, □ S | Symbicort, | 🗆 Other: | _ | | | |
| (More than 80% of Personal Best) | MDI:puff (s)tim | nes per day <u>o</u> r Nebu | lizer Treatment: | times per day | | | |
| Personal best peak flow: | Singulair/Montelukast take | mg by mouth | n once daily | | | | |
| | h exercise/sports add : MDI v I | | • | rcise: | | | |
| Yellow Zone: Caution! | Continue CONTR | OL Medicines | and <u>ADD</u> RESC | JE Medicines | | | |
| You have ANY of these: | Albuterol Levalbuterol | (Xopenex) 🗆 Ipratr | opium (Atrovent) | | | | |
| Cough or mild wheezeFirst sign of cold | MDI: puffs with spacer every hours as needed | | | | | | |
| Tight chest | □ Albuterol 2.5 mg/3m1 □ I | Levalbuterol (Xopenex) | 🗆 Ipratropium (Atro | ovent) 2.5mg/3m1 | | | |
| Problems sleeping, working, or playing | - | izer Treatment: one treatment every Hours as needed | | | | | |
| Peak flow: to | | | | e for more than | | | |
| (60% - 80% of Personal Best) | • | - | <i>Call your Healthcare Provider if you need rescue medicine for more than</i> 24 hours <u>or</u> two times a week <u>or</u> if your rescue medicine does not work. | | | | |
| Red Zone: DANGER! | Continue CONTR | | | | | | |
| | | ROL & RESCUE | E Medicines an | d <u>GET HELP!</u> | | | |
| You have ANY of these: | □ Albuterol □ Levalbuterol (| | | d <u>GET HELP!</u> | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping | | (Xopenex) 🗆 Ipratropi | um (Atrovent) | d <u>GET HELP!</u> | | | |
| You have ANY of these: Can't talk, eat, or walk well Medicine is not helping Breathing hard and fast | Albuterol Levalbuterol (MDI: puffs with spacer | (Xopenex) 🗆 Ipratropi | um (Atrovent) r THREE treatments | | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping | Albuterol Levalbuterol (MDI: puffs with spacer | (Xopenex) | um(Atrovent) r THREE treatments <) □ Ipratropium (At | rovent) | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping • Breathing hard and fast • Blue lips and fingernails • Tired or lethargic • Ribs show | Albuterol Levalbuterol (MDI: puffs with spacer Albuterol 2.5 mg/3m1 Nebulizer Treatment: one | (Xopenex) | um(Atrovent) THREE treatments () | rovent) for THREE treatments | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping • Breathing hard and fast • Blue lips and fingernails • Tired or lethargic | Albuterol Levalbuterol (MDI: puffs with spacer Albuterol 2.5 mg/3m1 | (Xopenex) | um(Atrovent) THREE treatments () | rovent) for THREE treatments | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping • Breathing hard and fast • Blue lips and fingernails • Tired or lethargic • Ribs show Peak flow: < (Less than 60% of Personal Best) | Albuterol Levalbuterol (MDI: puffs with spacer Albuterol 2.5 mg/3m1 Nebulizer Treatment: one Call 911 or go direct | (Xopenex) | um(Atrovent) THREE treatments () | rrovent) for THREE treatments tment NOW! | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping • Breathing hard and fast • Blue lips and fingernails • Tired or lethargic • Ribs show Peak flow: < | □ Albuterol □ Levalbuterol (MDI: puffs with spacer □ Albuterol 2.5 mg/3m1 □ Nebulizer Treatment: one Call 911 or go direct rsonnel to follow this plan, | (Xopenex) | um(Atrovent) THREE treatments () | rovent) for THREE treatments | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping • Breathing hard and fast • Blue lips and fingernails • Tired or lethargic • Ribs show Peak flow: < (Less than 60% of Personal Best) I give permission for school per administer medication and care for provider if necessary. I assume fur | □ Albuterol □ Levalbuterol (MDI: puffs with spacer □ Albuterol 2.5 mg/3m1 □ Nebulizer Treatment: one Call 911 or go direct rsonnel to follow this plan, or my child, and contact my ull responsibility for providing | (Xopenex) Ipratropi every 15 minutes, for Levalbuterol (Xopenex) e nebulizer treatmer ctly to the Emo SCHOOL MEDICATT | um(Atrovent) THREE treatments () | rrovent) for THREE treatments tment NOW! | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping • Breathing hard and fast • Blue lips and fingernails • Tired or lethargic • Ribs show Peak flow: < (Less than 60% of Personal Best) I give permission for school per administer medication and care for provider if necessary. I assume fur the school with prescribed medication | □ Albuterol □ Levalbuterol (MDI: puffs with spacer □ Albuterol 2.5 mg/3m1 □ Nebulizer Treatment: one Call 911 or go direct rsonnel to follow this plan, or my child, and contact my ull responsibility for providing tion and delivery/ monitoring | (Xopenex) Ipratropi every 15 minutes, for Levalbuterol (Xopenex e nebulizer treatmer Ctly to the Emo SCHOOL MEDICATI CHECK ALL THAT APPL Student may G Student needs so | um(Atrovent) THREE treatments () | rovent) for THREE treatments tment NOW! CARE PROVIDER ORDER ter inhaler at school. | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping • Breathing hard and fast • Blue lips and fingernails • Tired or lethargic • Ribs show Peak flow: < (Less than 60% of Personal Best) I give permission for school per administer medication and care for provider if necessary. I assume fur the school with prescribed medicat devices. I approve this Asthma Mar With HCP authorization & parent com- | □ Albuterol □ Levalbuterol (MDI: puffs with spacer □ Albuterol 2.5 mg/3m1 □ Nebulizer Treatment: one Call 911 or go direct rsonnel to follow this plan, or my child, and contact my ull responsibility for providing tion and delivery/ monitoring nagement Plan for my child. onsent inhaler will be located | (Xopenex) Ipratropi every 15 minutes, for Levalbuterol (Xopenex e nebulizer treatmer Ctly to the Emo SCHOOL MEDICATTI CHECK ALL THAT APPL I Student may Ca | um (Atrovent) THREE treatments () | rovent) for THREE treatments tment NOW! CARE PROVIDER ORDER ter inhaler at school. | | | |
| You have ANY of these: • Can't talk, eat, or walk well • Medicine is not helping • Breathing hard and fast • Blue lips and fingernails • Tired or lethargic • Ribs show Peak flow: < (Less than 60% of Personal Best) I give permission for school per administer medication and care for provider if necessary. I assume fur the school with prescribed medication devices. I approve this Asthma Mar | □ Albuterol □ Levalbuterol (MDI: puffs with spacer □ Albuterol 2.5 mg/3m1 □ Nebulizer Treatment: one Call 911 or go direct rsonnel to follow this plan, or my child, and contact my ull responsibility for providing tion and delivery/ monitoring nagement Plan for my child. onsent inhaler will be located | (Xopenex) Ipratropi every 15 minutes, for Levalbuterol (Xopenex e nebulizer treatmer Ctly to the Emo SCHOOL MEDICATI CHECK ALL THAT APPL Student may G Student needs so | um (Atrovent) THREE treatments THREE treatments I pratropium (At ergency Depar ON CONSENT & HEALTH arry and self-adminis upervision/assistance & | rovent) for THREE treatments tment NOW! CARE PROVIDER ORDER ter inhaler at school. | | | |

Driver/Transp Virginia Asthma Action Plan approved ortation by the Virginia Asthma Coalition (VAC) 03/2019



OFFICE OF CATHOLIC SCHOOLS DIOCESE OF ARLINGTON INHALED MEDICATION or NEBULIZER TREATMENT AUTHORIZATION

Release and indemnification agreement

PLEASE READ INFORMATION AND PROCEDURES ON REVERSE SIDE

PART 1 TO BE COMPLETED BY PARENT/GUARDIAN

| I hereby request designated school personne and hold harmless the designated school per helping this student use an inhaler, provided or parent or guardian orders set forth in ac outlined below this form and assume response | rsonnel, or agents from lawsuits, clair the designated school personnel com ccordance with the provision of the | n expense, demand ply with the Licens | or action, etc., against them for sed Healthcare Provider (LHCP) | | |
|---|---|---------------------------------------|---|--|--|
| Inhaler/Respiratory Treatment | (If new, the first full dose must be given at ho | me to assure that the stu | dent does not have a negative reaction.) | | |
| First dose was given: Date Time | | | | | |
| Student Name (Last, First, Middle) | | Date of Birth | 1 | | |
| Allergies | School | | School Year | | |
| PART II SEE PAGE 1 OF ASTHMA ACTION PLAN – Complete by Parent/Guardian and Student, if applicable | | | | | |
| The inhaled medication will be given as noted and detailed on the attached Allergy Action Plan. | | | | | |
| Check ✓ the appropriate boxes: Asthma Action Plan is attached with orders signed by Licensed Healthcare Provider. It is not necessary for the student to carry his/her inhaler during school, the inhaler will be kept in the clinic or other approved school location. The student is to carry an inhaler during school and school sanctioned events with principal/school nurse approval. (An additional inhaler, to be used as backup, is advised to be kept in the clinic or other approved school location and Appendix F-21A is signed) Additionally, I believe that this student has received information on how and when to use an inhaler and that he or she demonstrates its proper use. | | | | | |
| Parent or Guardian Name (Print or Type) | Parent or Guardian (Signature) | Telephone | Date | | |
| Student Name (Print or Type) | student Signature (Required if Self Carry in add | lition to Appendix F-21A | A) Date | | |
| PART III TO BE COMPLETED BY LICEN | NSED NURSE OR TRAINED ADMINI | STRATOR OF MEI | DICATION | | |
| Check ✓ as appropriate: □ Parts I and II above are completed including □ Inhaler/Respiratory Treatment Medication □ If Asthma Action Plan indicates Self-Carry and, □ agree □ disagree that student should □ If self-carry and parent does not supply 2 nd Appendix F-25. | is appropriately labeled. y to be authorized. I have reviewed the self carry in school. Appendix F-21A | is also reviewed an | nd attached. | | |

Date any unused medication was collected by the parent or properly disposed. (Within one week after expiration of the physician order or on the last day of school).

Signature

Date

Blank copies of the Asthma Action Plan form may be reproduced or downloaded from www.virginiaasthmacoalition.org

Based on NAEPP Guidelines 2007 and modified with permission from the D.C. Asthma Action Plan via District of Columbia, Department of Health, D.C. Control Asthma Now, and District of Columbia Asthma Partnership



PARENT INFORMATION ABOUT MEDICATION PROCEDURES

- 1. In no case may any health, school, or staff member administer any medication outside the framework of the procedures outlined here in the *Office of Catholic Schools Policies and Guidelines* and *Virginia School Health Guidelines* manual.
- 2. Schools do NOT provide routine medications for student use.
- 3. Medications should be taken at home whenever possible. The first dose of any new medication must be given at home to ensure the student does not have a negative reaction.
- 4. Medication forms are required for each Prescription and Over the Counter (OTC) medication administered in school.
- 5. All medication taken in school must have a parent/guardian signed authorization. Prescription medications, herbals and OTC medications taken for 4 or more consecutive days also require a licensed healthcare provider's (LHCP) written order. No medication will be accepted by school personnel without the accompanying complete and appropriate medication authorization form.
- 6. The parent or guardian must transport medications to and from school.
- 7. Medication must be kept in the school health office, or other principal approved location, during the school day. All medication will be stored in a locked cabinet or refrigerator, within a locked area, accessible only to authorized personnel, unless the student has prior written approval to self-carry a medication (inhaler, Epi-pen). If the student self carries, it is advised that a backup medication be kept in the clinic. If a backup inhaler is not supplied, please complete Appendix F-25.
- 8. Parents/guardians are responsible for submitting a new medication authorization form to the school at the start of the school year and each time there is a change in the dosage or the time of medication administration.
- 9. A Licensed Health Care Provider (LHCP) may use office stationery, prescription pad or other appropriate documentation in lieu of completing the Asthma Action Plan. The following information written in lay language with no abbreviations must be included and attached to this medication administration form. Signed faxes are acceptable.
 - a. Student name
 - b. Date of Birth
 - c. Diagnosis
 - d. Signs or symptoms
 - e. Name of medication to be given in school
 - f. Exact dosage to be taken in school
 - g. Route of medication
 - h. Time and frequency to give medications, as well as exact time interval for additional dosages.
 - i. Sequence in which two or more medications are to be administered
 - j. Common side effects
 - k. Duration of medication order or effective start and end dates
 - 1. LHCP's name, signature and telephone number
 - m. Date of order
- 10. All prescription medications, including physician's samples, must be in their original containers and labeled by a LHCP or pharmacist. Medication must not exceed its expiration date.
- 11. All Over the Counter (OTC) medication must be in the original, small, sealed container with the name of the medication and expiration date clearly visible. Parents/guardians must label the original container of the OTC with:
 - a. Name of student
 - b. Exact dosage to be taken in school
 - c. Frequency or time interval dosage is to be administered
- 12. The student is to come to the clinic or a predetermined location at the prescribed time to receive medication. Parents must develop a plan with the student to ensure compliance. Medication will be given no more than one half hour before or after the prescribed time.
- 13. Students are NOT permitted to self medicate. The school does not assume responsibility for medication taken independently by the student. Exceptions may be made on a case-by-case basis for students who demonstrate the capability to self-administer emergency life saving medications (e.g. inhaler, Epi-pen)
- 14. Within one week after expiration of the effective date on the order, or on the last day of school, the parent or guardian must personally collect any unused portion of the medication. Medications not claimed within that period will be destroyed.